

ACE

Mobile Scissor Lift

Capacity : 230-450kg


Power : AC/DC

ACE INDIA'S NO. 1
CRANE BRAND



ACE MOBILE SCISSOR LIFT- DC

SL. No	TECHNICAL SPECIFICATIONS						
1	Model	Units	MS30D AC/DC	MS39D AC/DC	MS80D AC/DC	MS100D AC/DC	MS120D AC/DC
1.1	Capacity	Kg	240		450		320
1.2	Max. Platform Height (H3)	mm	3000	3900	8000	10000	12000
1.3	Max. Working Height(H4I)	mm	5000	5900	10000	12000	14000
1.4	Platform Size (L2XW2)	mm	1150 X 600		2200 x 1000		2550 x 1000
1.5	Overall Length (L1)	mm	1190		2260		2610
1.6	Overall Width (W1)	mm	760		1120		
1.7	Overall Height (H1)	mm	1400	1500	2530	2650	2770
1.8	Overall height (with Fence folded)	mm	1780	1880	2008	2200	2320
1.9	Ground Clearance (D)	mm	37		100		
2	Wheel Base (S)	mm	960		1640		1990
2.1	Front Wheel Size	Inches	6 inches		448X 122		
2.2	Rear Wheel Size	mm	200*50		448X 122		
2.3	Battery	V/Ah	12V/100Ah		2 X 12/120		
2.4	Integrated Charger	V/A	12V/15A		24/15		
2.5	Lifting Motor (AC)	V/Kw	/		220/3		
2.6	Lifting Motor (DC)	V/Kw	DC12V/0.8Kw		24/3		
2.7	Lifting Time	Second	40	50	50	60	72
2.8	Lowering Time	Second	35	45	45	55	67
3	Self Weight	Kg	465	515	1700	1850	2150




Standard Equipment :

- Emergency stop button
- Emergency lowering system
- Adjust support legs
- Safety service sturt

Option :

- Platform extension

SL. No	TECHNICAL SPECIFICATIONS								
1	Model	Units	MS60A AC/DC	MS90A AC/DC	MS110A AC/DC	MS120A AC/DC	MS140A AC/DC	MS160A AC/DC	MS180A AC/DC
2	Capacity	Kg	300/500/1000		300/500	300/500	300/500	300	300
3	Rated Height	mm	6000	9000	11000	12000	14000	16000	18000
4	Lowered Height	mm	1200/1400/ 1300	1400/1400/1500	1800	1600	2000	3067	3321
5	Platform Size	mm	2010 x 930 2010 x 1130	2010 x 930 2010 x 1130	2010 x 1130	2462 x 1210	2845 x 1420	2812 x 1699	3070 x 1600
6	Elevating time	Second	50 / 50 / 60	70 / 70 / 75	70/80	85 / 90	120 / 130	140	150
7	Motor Power	Kw	1.5 / 1.5 / 2.2	2.2 / 2.2 / 3.7	2.2	3.7			
8	Voltage	V	380V/50Hz						
9	Service weight	Kg	1000/1100/1400	1400/1500/1850	2000/2100	2200/2300	2800/3100	3400	3550



Options :

- AC-380V/50 HZ as standard
- AC-220 V power supply
- DC power supply
- Other voltage available




BUILT TO PERFORM



RELIABLE AND DEPENDABLE EFFICIENCY

NETWORK



Toll Free Help Line
1800 1800 004

www.ace-cranes.com

MARKETING H.Q.

4th Floor, Pinnacle
 Surajkund, NCR-121009
 Ph.: +91-129-4550000
 Fax: +91-129-4550022
 E-mail: marketing@ace-cranes.com

REGISTERED OFFICE

Dudhola Link Road, Dudhola
 Palwal-121102, Haryana
 Ph.: +91-1275-280111
 Fax: +91-1275-280133
 CIN: L74899HR1995PLC053860

MUMBAI OFFICE

31, "Kalpataru Court"
 Chembur, Mumbai - 400074
 Ph.: +91-22-25206846, 25207070
 Fax: +91-22-25207071
 E-mail: acemumbai@ace-cranes.com

KOLKATA OFFICE

"Forma Towers" 84-A, Second Floor
 A/C Bose Road, Kolkata - 700014
 Ph.: +91-9038070630
 E-mail: acekolkata@ace-cranes.com

CHENNAI OFFICE

1st Floor, "Alsa Regency", 165
 Eldams Road, Alwar Pet
 Chennai - 600018
 Ph.: +91-44-24314253
 Fax: +91-44-24314252
 E-mail: acechennai@ace-cranes.com

HERE TO SERVE YOU.

SPARE PARTS & SERVICE

ACE has all India Sales and Service network operating out of all the major cities. These outlets are fully equipped to provide genuine spare parts and services by company trained engineers. These outlets are further supported by company officials based at Delhi, Mumbai, Chennai, Kolkata, Ahmedabad, Surat, Pune, Jaipur, Chandigarh, Ranchi, Raipur, Indore, Bhubaneswar, Lucknow, Jamnagar, Hyderabad, Bangalore, Guwahati, Patna, Vizag & Kochi.



Action Construction Equipment Ltd.

Contact:



ACE reserves the right to alter any specifications without prior notice. Dimensions, weights & capacities mentioned herein are variable by $\pm 5\%$. Accessories if shown are not part of the Standard Equipment.